· · · · · · · · · · · · · · · · · · ·		
	Application No.	Applicant(s)
	10/813,712	CONNER, GEORGE W.
Notice of Allowability	Examiner	Art Unit
	Mary Kate B. Baran	2857
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>30 June 2006</u> .		
2. The allowed claim(s) is/are <u>1-24</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of		
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	,	
Attachment(s)	5 	sana Amelication
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	e
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amenda	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	-	ent of Reasons for Allowance
~	9.	

DETAILED ACTION

Response to Amendment

1. This action is responsive to the Amendments filed 30 June 2006. Claims 1-24 are pending. Claims 1, 12 and 13 are amended.

Allowable Subject Matter

- 2. Claims 1-24 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

Claims 1-13 are allowable over the prior art because a method of performing a measurement on a differential signal, comprising: introducing a plurality of bias levels into the comparison, whereby the output of the comparator has a logical value representative of a value at the first input compared to a value at the second input offset by the bias level and selecting a set of samples based on the percentage of samples in the set having first logical value is not found, taught or suggested in the prior art of record.

Claims 14-24 are allowable over the prior art an automatic test system suitable for making measurements of a differential signal applied as an input to the test system, the test system having a measurement circuit comprising: a timing input controlling the time at which a comparison is made; means for biasing the comparison by a variable amount in response to a control signal; control circuitry providing a timing signal

connected to the timing input of the comparator and a control signal to the means for biasing is not found, taught or suggested in the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary Kate B. Baran whose telephone number is (571) 272-2211. The examiner can normally be reached on Monday - Friday from 9:00 am to 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc S. Hoff can be reached on (571) 272-2216. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/813,712

Art Unit: 2857

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

16 September 2006